
**10W Food Safe Vapor Proof (Waterproof) LED Drop Light w/ Lexan Globe - 12/3 SOOW - 50' Reel
VPLHL-7WLED-PC-12.3-GR50**



VPLHL-7WLED-PC-12.3-GR50 Drop Light

Listing: United States

Lamp Dimensions: L-13" Head Dia-4.5" Handle Dia-2"

Lamp Type: LED Bulb

Lamp Colors:White, red, blue, green, amber

Total Watts: 10 watts (7W for low voltage)

Voltage: 120-277 Volts 50/60 Hz, 11V AC/DC, or 25V AC/DC

Globe Material: Lexan

Mounting: Aluminum Hook

Wiring: 50' 12/3 SOOW cord w/ Cord Reel

Cord Reel Dimensions: 25.5" H x 10.5" W x 24" L

Warranty: Yes - 3 Years*

Ratings / Summary

WaterProof / Vapor Proof

50' Cord Reel w/ Ratchet

Lexan Globe

Special Orders- Requirements

Contact us for special requirements

Toll Free:1-800-369-6671

Intl:1-903-498-3363

E-mail:sales@larsonelectronics.com

Made in the USA

The Larson Electronics VPLHL-7WLED-PC-12.3-GR50 LED Food Safe Trouble Light / Hand Lamp / Drop Light with Reel is both waterproof and vapor proof and constructed and certified to prevent the intrusion of water and/or moisture into the handle and/or head when used as instructed in wet locations. This waterproof and vapor proof LED light is available in 120-277V AC, 11V AC/DC, 25V AC/DC light configuration.

This 10 watt Food Safe LED work light with retractable cord reel from LarsonElectronics.com produces 1050 lumens and comes complete with a 50 foot long 12/3 SOOW cord for long range and convenient operation. This waterproof and vapor proof drop light features a rubberized, insulated handle to provide a safe and secure grip and a stainless steel wire guard enclosure to protect the Lexan dome. These LED drop lights improve on the desirable qualities of similar incandescent models with higher foot candle light output, cooler operation and better light quality, and are ideal for use in wet areas and close work. The cool operation, good light color and evenness of coverage makes these lights ideal for a wide variety of close quarter work and inspection activities. This LED lamp has a 50,000 hour operational life and is available in 120-277V AC, 11V or 25V configurations for high or low voltage operation.

The 10-watt LED lamp used in this unit produces nearly 2 times the illumination of incandescent lamps as measured in foot candles, at less than 1/10th of the

electricity usage and without the associated heat. This LED drop light runs at operating temperatures of 55 degrees F, greatly reducing the chances of accidents or burns commonly associated with incandescent drop lights. This lamp has no ballast, which reduces lamp weight, a steel globe guard, and a stainless steel hook for easy overhead mounting. The solid state LED bulb has no filament, making it resistant to damage from impacts and dropping.

The VPLHL-7WLED-PC-12.3-GR50 comes with a blue 50 foot 12/3 cord reel from Larson Electronics that provides a 50 foot long 12/3 cord for long range and convenient operation. The cord reel is designed for a lift/drag of up to 50FT of 12AWG/3C SOW/SOOW round cable. Reel with cable installed/tested comes with 50FT active travel plus an additional 2FT for safety wrap and hook up. This reel is UL Listed (UL/cUL), is constructed of durable steel, has a glossy blue powder coat finish and includes a ball stop and a ratchet with a lockout feature. This cord reel has flying leads on both ends.

This LED lamp with cord reel is available in 120-277V AC and 11V or 25V AC/DC versions which can be selected below when ordering. OSHA requires the light to be plugged into a GFI protected outlet. This lamp illuminates an area approximately 8 feet wide in all directions, is certified waterproof and vapor proof, and suitable for use in wet areas.

Lamp Features

10 watt LED Lamp 50,000 hour service life
Rubberized Handle
No Ballast
50` 12/3 SOW Cord
Lexan Globe (Food Safe)
Waterproof/Vapor Proof

Options:

VPLHL-7WLED-PC-12.3-GR50-Voltage-Color

Example: VPLHL-7WLED-PC-12.3-GR50-1227-1227

Voltage	
120-277V AC	-1227
11V AC	-12VAC
25V AC	-24VAC
11V DC	-12VDC
25V DC	-24VDC

Color	
WHITE	-1227
RED	-12VAC
BLUE	-24VAC
GREEN	-12VDC
AMBER	-24VDC

Links (Click on the below items to view):

- [large](#)
- [medium](#)
- [SpecSheet](#)
- [HigResPic1](#)