

Cart Mounted Forced Air Heater - 120V - Kerosene/Diesel - 540 CFM, 140000 BTUs - 10 Gal Tank - Blue

Part #: GAU-KFA-PH-140K-TST



The Larson Electronics GAU-KFA-PH-140K-TST Cart Mounted Forced Air Heater is a powerful heating solution for indoor facilities. This kerosene/diesel unit provides 540 CFM of air flow and 140,000 BTUs. Equipped with a 10-gallon fuel tank, the portable heater is mounted on a cart and comes with real-time gauges and a 3' power cord with an extension cord wrap.

The GAU-KFA-PH-140K-TST is a forced air heater for indoor locations. Capable of heating spaces up to 3,500 square feet, the unit operates on 120V AC 60 Hz. This compact heater offers 140,000 BTUs and 540 CFM during use. Operators are provided access to a 10 gallon tank and air pressure, fuel and thermostat gauges for real-time monitoring.

This unit consumes kerosene/diesel (CSA certified to run on #1 & 2 Diesel Fuel, JP8/Jet A Fuel and #1 & 2 Fuel Oil) at a rate of 1.1 gallons per hour and is capable of a maximum runtime of 10 hours @ full tank. Safety features include the following: high temperature shut off, flame out fuel cut and thermocouple.

Wiring: The GAU-KFA-PH-140K-TST comes with a 3' power cord for completing electrical connections and an extension cord wrap.

Mount: The GAU-KFA-PH-140K-TST is mounted on a cart with two wheels and front/rear handles for portability and seamless transportation around the work site.

Applications: Construction sites, warehouses, commercial spaces, industrial buildings, schools, indoor facilities, barns and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Specifications / Additional Information**GAU-KFA-PH-140K-TST Industrial Heater****Ratings****Unit Type:** Forced Air Heater**Dimensions:** 39" x 22" x 26"**Weight:** 48.5 lbs**Voltage:** 120V AC @ 60 Hz**Phase:** Single**BTUs:** 140000**CFM:** 540 CFM**Fuel Type:** Kerosene/Diesel**Tank Capacity:** 10 Gal**Fuel Consumption:** 1.1 Gal/hr**Maximum Runtime:** 10 Hrs @ Full Tank**Pump Pressure:** 6.6 psi**Heating Area Capacity:** 3,500 sq. ft.**Gauges:** Air Pressure, Fuel, Thermostat/Temperature**Safety:** High Temperature Shut Off, Flame Out Fuel Cut, Thermocouple**Amps:** 2.4A**Materials:** -**Mount:** Portable via Cart Mount w/ (2) Wheels and Front/Rear Handles**Wiring:** 3` Power Cord**Color:** Blue**Special Orders- Requirements**

Contact us for special requirements

Phone: 1-214-616-6180**Toll Free:** 1-800-369-6671**Fax:** 1-903-498-3364**E-mail:** sales@larsonelectronics.com[Scroll Down to Purchase](#)

[This product does not qualify for free shipping.](#)

[Part #: GAU-KFA-PH-140K-TST \(154590\)](#)

Links (Click on the below items to view):

- [Hi-Res Image 1- Industrial Heater](#)