

[Clonidine is better than zopiclone for insomnia treatment in chronic pain patients](#)

..., DO Bamgbade, O Murphy-Akpieyi... - Journal of Clinical ..., 2022 - jcsa.aasm.org

Study Objectives: Chronic pain is associated with insomnia. The objective of this clinical study is to compare the efficacy and safety of different prescribed doses of zopiclone and ...

[Cite All 2 versions](#)

[Facial topical cream promotes facemask tolerability and compliance during COVID-19 pandemic](#)

OA Bamgbade, RN Richards, M Mwaba... - Journal of Taibah ..., 2022 - Elsevier

Materials and Methods This was a prospective observational clinical study. It was also a quality assurance study of routine clinical practice and social behaviour, and was approved by ...

[Cite Related articles All 5 versions](#)

[The Contribution of HCN Channelopathies in Different Epileptic Syndromes, Mechanisms, Modulators, and Potential Treatment Targets: A Systematic Review](#)

..., G Wang, K Kiprotich, OA Bamgbade... - Frontiers in Molecular ..., 2022 - ncbi.nlm.nih.gov

... We hypothesized that both GOF and LOF variants of HCN channel genes in different neurons can cause epilepsy, and that acquired HCN channelopathy can play a role in the ...

[Cite Related articles All 3 versions](#)

[Attention-deficit/hyperactive disorder updates](#)

..., B Chen, F He, L Yang, Y Ma, O Bamgbade... - Frontiers in molecular ..., 2022 - europepmc.org

... We aimed to review the pathogenic pathways of ADHD in children. The major focus was to provide an update on the reported etiologies in humans, animal models, modulators, ...

[Cite All 4 versions](#)

[Delayed surgical diagnosis and treatment of severe sickle cell arthropathy: The need to raise clinicians' awareness](#)

OA Bamgbade, V Onongaya... - Journal of Taibah ..., 2021 - Elsevier

Objectives Sickle cell disease (SCD) is associated with femoral head osteonecrosis and is treated with hip arthroplasty 18 weeks after presentation. However, there is inadequate data regarding the timing of surgical management of severe hip arthropathy. This study explores ...

[Related articles All 2 versions](#)

[Lidocaine swallow analgesia for severe painful prolonged esophageal disorders](#)

OA Bamgbade, ZS Aloul, DA Omoniyi... - Saudi Journal of ..., 2021 - saudija.org

Bamgbade OA, Aloul ZS, Omoniyi DA, Adebayo SA, Magboh VO, Rodrigues SP. Lidocaine swallow analgesia for severe painful prolonged esophageal disorders.

[Difficult tracheal extubation due to endotracheal tube malfunction: A challenge during the COVID-19 pandemic](#)

OA Bamgbade, VO Magboh, AU Otegbeye... - Journal of Taibah ..., 2021 - Elsevier

Tracheal extubation is an aerosol-generating medical procedure. A difficult tracheal extubation results in a serious complication that increases the risk of respiratory aerosol and pathogen spread, especially during the COVID-19 pandemic. The management of difficult ...

[Related articles All 6 versions](#)

[Perioperative care of obstructive sleep apnea patients: A survey of European anesthesiologists](#)

OA Bamgbade, O Oluwole, WM Khalaf... - Saudi Journal of ..., 2021 - saudija.org

Background: Obstructive sleep apnea (OSA) is prevalent in the surgical patient population and is associated with high risk of perioperative complications. There are limited guidelines and wide practice variations regarding the perioperative care of obese and OSA patients

[Perioperative antiemetic therapy for fast-track laparoscopic bariatric surgery](#)

OA Bamgbade, O Oluwole, RR Khaw - Obesity surgery, 2018 - Springer

Background Postoperative nausea and vomiting (PONV) is problematic in bariatric surgery patients and has negative impacts on outcome. Antiemetic prophylaxis may reduce PONV.

[Cited by 14 Related articles All 5 versions](#)

[Intraoperative magnesium supplementation improves gynecology major surgery perioperative outcome](#)

[OA Bamgbade](#) - [Journal of clinical anaesthesia, 2018](#) - [pubmed.ncbi.nlm.nih.gov](#)

... Affiliation. 1 Department of Anaesthesia, University of British Columbia, Vancouver, BC, Canada.

Address: [olu.bamgbade@gmail.com](mailto:olu.bamgbade@gmail.com). PMID: 29100019; DOI: 10.1016/j.jclinane.2017.10.019.

[Cited by 2](#) [Related articles](#) [All 2 versions](#)

[Magnesium interscalene nerve block for the management of painful shoulder disorders](#)

[OA Bamgbade](#) - [Saudi journal of anaesthesia, 2018](#) - [ncbi.nlm.nih.gov](#)

[ASA physical status classification of obstructive sleep apnoea disease](#)

[OA Bamgbade](#) - [Journal of clinical anaesthesia, 2018](#) - [pubmed.ncbi.nlm.nih.gov](#)

... Affiliation. 1 Department of Anaesthesia, University of British Columbia, Vancouver, BC, Canada.

Address: [olu.bamgbade@gmail.com](mailto:olu.bamgbade@gmail.com). PMID: 29100018; DOI: 10.1016/j.jclinane.2017.10.011.

[Cited by 2](#) [Related articles](#) [All 2 versions](#)

[Anesthesiologist preference for postoperative analgesia in major surgery patients with obstructive sleep apnea](#)

[OA Bamgbade](#) - [Saudi journal of anaesthesia, 2018](#) - [ncbi.nlm.nih.gov](#)

Obstructive sleep apnea (OSA) is prevalent and presents perioperative challenges. There are guidelines regarding perioperative care of OSA, but analgesia management of OSA patients is inconsistent or inadequate. This is a study of the United Kingdom ...

[Cited by 3](#) [Related articles](#) [All 8 versions](#)

[Modified vertical infraclavicular block: An evaluation of two methods](#)

[OA Bamgbade](#) - [Saudi journal of anaesthesia, 2018](#) - [ncbi.nlm.nih.gov](#)

The vertical infraclavicular block (VIB) of the brachial plexus is commonly used to provide local anesthesia (LA) of the upper limb. The original method involves LA injection at the mid-point of an infraclavicular line between acromion and jugular fossa. However, this method is ...

[Related articles](#) [All 8 versions](#)

[The use of intubating lightwand in difficult airway patients with limited management options](#)

[OA Bamgbade](#) - [Nigerian Postgraduate Medical Journal, 2017](#) - [npmj.org](#)

The intubating lightwand is a recommended airway management tool in patients with failed direct laryngoscopy or intubation; but the device is under-utilised. This study reports successful lightwand intubation in a cohort of 22 consecutive adult patients with difficult ...

[Cited by 2](#) [Related articles](#) [All 3 versions](#)

[Obstructive sleep apnea and postoperative complications among patients undergoing gynecologic oncology surgery](#)

[OA Bamgbade](#), RR Khaw, RS Sawati... - ... of Gynecology & ..., 2017 - [Wiley Online Library](#)

Objective To investigate the prevalence of obstructive sleep apnea (OSA), physiological or risk factors associated with OSA, and OSA-associated postoperative complications among patients undergoing gynecologic oncology surgery. Methods A prospective observational ...

[Cited by 10](#) [Related articles](#) [All 3 versions](#)

[Preoperative bowel preparation complicated by lethal hypermagnesaemia and acute nephropathy](#)

[OA Bamgbade](#) - [Nigerian Postgraduate Medical Journal, 2017](#) - [npmj.org](#)

Hypermagnesaemia is an uncommon but serious disorder. An elderly woman presented with severe cardiovascular collapse, neurologic depression and acute nephropathy, following bowel preparation. Urgent laboratory tests revealed serum magnesium level of 7.5 ...

[Cited by 3](#) [Related articles](#) [All 4 versions](#)

[Fast-track laparoscopic gastric bypass surgery: outcomes and lessons from a bariatric surgery service in the United Kingdom](#)

[OA Bamgbade](#), BO Adeogun, K Abbas - [Obesity surgery, 2012](#) - [Springer](#)

Abstract Background Laparoscopic Roux-en-Y gastric bypass (LRYGB) is a potentially complicated surgery with significant hospitalisation, especially during the learning curve.

There are inadequate data on fast-track LRYGB in relation to learning curve. This study ...

[Cited by 67](#) [Related articles](#) [All 10 versions](#)

[Perioperative temperature management in day-case surgical patients](#)

[OA Bamgbade](#) - European Journal of Anaesthesiology| EJA, 2012 - journals.lww.com

Thermoregulation is important in day-case perioperative care. The British NIHCE recommends that surgical patients should undergo risk assessment for hypothermia, that patients anaesthetised for more than 30 min

[Cited by 7](#) [Related articles](#) [All 3 versions](#)

[Nasotracheal intubation with the McGrath videolaryngoscope in patients with difficult airway](#)

[OA Bamgbade](#), MH Onaolapo... - European Journal of ..., 2011 - journals.lww.com

[Advantages of doxapram for post-anaesthesia recovery and outcomes in bariatric surgery patients with obstructive sleep apnoea](#)

[OA Bamgbade](#) - European Journal of Anaesthesiology| EJA, 2011 - journals.lww.com

[Cited by 12](#) [Related articles](#) [All 3 versions](#)

[Obstetric anaesthesia outcome in obese and non-obese parturients undergoing caesarean delivery: an observational study](#)

[OA Bamgbade](#), WM Khalaf, O Ajai, R Sharma... - International journal of ..., 2009 - Elsevier

Background Maternal obesity is increasing in prevalence and is associated with an increased risk of perioperative complications. This study evaluates the impact of obesity on

[Cited by 82](#) [Related articles](#) [All 8 versions](#)

[Dexmedetomidine anaesthesia for patients with obstructive sleep apnoea undergoing bariatric surgery](#)

[OA Bamgbade](#), JA Alfa - European Journal of Anaesthesiology ..., 2009 - journals.lww.com

[Cited by 43](#) [Related articles](#) [All 3 versions](#)

[Central neuraxial anaesthesia presenting with spinal myoclonus in the perioperative period: a case series](#)

[OA Bamgbade](#), JA Alfa, WM Khalaf... - Journal of Medical Case ..., 2009 - Springer

Perioperative spinal myoclonus is extremely rare. Many anaesthetists and perioperative practitioners may not diagnose or manage this complication appropriately when it occurs.

[Cited by 14](#) [Related articles](#) [All 18 versions](#)

[Survey of perioperative care of adults with obstructive sleep apnoea](#)

[OA Bamgbade](#), AS Chung, WM Khalaf... - European Journal of ..., 2009 - journals.lww.com

[Cited by 14](#) [Related articles](#) [All 3 versions](#)

[Evaluation of the i-gel airway in 300 patients](#)

[OA Bamgbade](#), WR Macnab... - European Journal of ..., 2008 - cambridge.org

EDITOR: There are many types of supraglottic airway devices currently available. The i-gel airway, manufactured by Intersurgical UK, is a new single-use supra- glottic airway device with a unique non-inflatable cuff made of thermoplastic elastomer (Fig. 1). The gel-like cuff accurately ...

[Cited by 97](#) [Related articles](#) [All 4 versions](#)

[Acute myoclonus following spinal anaesthesia](#)

[JA Alfa](#), [OA Bamgbade](#) - European journal of anaesthesiology, 2008 - cambridge.org

EDITOR: Spinal myoclonus is a rare form of non-generalized movement disorder that may be segmental or focal, affecting many groups of muscles, a muscle group or a single muscle [1,2]. It comprises sudden, shock-like, involuntary muscle contractions and is usually attributed ...

[The perioperative implications of khat use](#)

[OA Bamgbade](#) - European journal of anaesthesiology, 2008 - cambridge.org

[Cited by 8](#) [Related articles](#) [All 4 versions](#)

[Postoperative complications in obese and nonobese patients](#)

[OA Bamgbade](#), TW Rutter, OO Nafiu, P Dorje - World journal of surgery, 2007 - Springer

Background Postoperative complications are undesirable and potentially common in the increasing obese population of surgical patients. There is a scarcity of recent and reliable studies comparing postoperative morbidity and mortality in obese and nonobese patients ...

[Cited by 319](#) [Related articles](#) [All 11 versions](#)

[The dual etiology of ipsilateral shoulder pain after thoracic surgery\\*](#)

[OA Bamgbade](#), P Dorje, GS Adhikary - Journal of clinical anesthesia, 2007 - Elsevier

Ipsilateral shoulder pain after thoracic surgery is a distressing problem and is associated with impairment of respiratory and shoulder function. However, we have made clinical observations ...

[Cited by 20](#) [Related articles](#) [All 8 versions](#)

[Childhood body mass index and perioperative complications](#)

[OO Nafiu](#), PI Reynolds, [OA Bamgbade](#)... - Pediatric ..., 2007 - Wiley Online Library

Describe the incidence of quality assurance events between overweight/obese and normal weight children.

[Cited by 126](#) [Related articles](#) [All 11 versions](#)

[Hemostatic impairment after infusion of hydroxyethyl starch, gelatin, and albumin](#)

[OA Bamgbade](#), P Dorje, MD Caldwell - Anesthesia & Analgesia, 2007 - journals.lww.com

[Cited by 9](#) [Related articles](#) [All 4 versions](#)

[Severe needle phobia in the perianesthesia setting](#)

[OA Bamgbade](#) - Journal of PeriAnesthesia Nursing, 2007 - Elsevier

Needle phobia is a peculiar type of specific phobia, with unique clinical features, that may be encountered in some surgical patients. It may present a serious acute problem to the perianesthesia care team and requires careful psychological and/or pharmacological ...

[Cited by 19](#) [Related articles](#) [All 8 versions](#)

[Prevalence of overweight and obesity in a US pediatric surgical population.](#)

..., KS Ndao-Brumlay, [OA Bamgbade](#)... - Journal of the ..., 2007 - ncbi.nlm.nih.gov

Prevalence of overweight and obesity in a pediatric surgical population from large teaching hospital in United States.

[Cited by 29](#) [Related articles](#) [All 6 versions](#)

[Management of tension gastrothorax](#)

[OA Bamgbade](#) - Resuscitation, 2006 - resuscitationjournal.com

[Cited by 19](#) [Related articles](#) [All 5 versions](#)

[Dexmedetomidine for peri-operative sedation and analgesia in alcohol addiction](#)

[OA Bamgbade](#) - Anaesthesia, 2006 - Wiley Online Library

I report on the use of dexmedetomidine for peri-operative analgesia and sedation prophylaxis of alcohol withdrawal syndrome in two alcoholic patients. A 60-year-old man

[Cited by 18](#) [Related articles](#) [All 5 versions](#)

[Facemask general anesthesia for minor and outpatient surgery: a dying art?](#)

[OA Bamgbade](#) - Journal of the National Medical Association, 2006 - ncbi.nlm.nih.gov

Facemask general anesthesia is suitable for many minor surgeries but has become

[Cited by 1](#) [Related articles](#) [All 4 versions](#)

[The peri-operative care team: a model for outreach critical care](#)

[OA Bamgbade](#) - Anaesthesia, 2002 - Wiley Online Library

[Cited by 4](#) [Related articles](#) [All 6 versions](#)

[Pre-operative mouthwash—comfort for the patient; and the anaesthetist](#)

[OA Bamgbade](#) - Anaesthesia, 2002 - Wiley Online Library

[Related articles](#) [All 4 versions](#)

[Anaesthetic drug information leaflets—for the patient or for the doctor?](#)

[O Bamgbade](#) - Anaesthesia, 2001 - Wiley Online Library

[Cited by 4](#) [Related articles](#) [All 5 versions](#)

[Buccal midazolam premedication for surgical patients with needle-phobia](#)

[O Bamgbade](#) - BJA: British Journal of Anaesthesia, 2012 - academic.oup.com

Needle-phobia may present major challenges to some surgical patients

[Dexmedetomidine sedation for awake carotid endarterectomy](#)

[O Bamgbade](#) - BJA: British Journal of Anaesthesia, 2012 - academic.oup.com

Awake carotid endarterectomy (CEA) under cervical plexus block offers advantages

[Lightwand intubation for difficult airway patients with limited management options](#)

[O Bamgbade](#) - BJA: British Journal of Anaesthesia, 2012 - academic.oup.com

The intubating lightwand is a recommended airway management tool in elective patients

[Difficult tracheal extubation](#)

[O Bamgbade](#) - BJA: British Journal of Anaesthesia, 2012 - academic.oup.com

Difficult tracheal extubation is an uncommon, but dangerous perioperative complication.

[Perioperative thermoregulation in ambulatory anaesthesia and surgery](#)

[O Bamgbade](#), T Palmer, M Caldwell, G Adhikary - Ambulatory surgery, 2007 - Citeseer

Results A total of sixteen thousand and seventy-two ambulatory surgical patient

[Cited by 4](#) [Related articles](#) [All 3 versions](#)

[Anaesthesia and sickle cell disease](#)

[OA Soyannwo](#), [OA Bamgbade](#), [YA Aken'ova](#) - Nigerian Quarterly Journal of ..., 1999 - ajol.info

A review of adult patients with Haemoglobinopathy who had anaesthesia and surgery at the University College Hospital, Ibadan over a 3 year period was carried out. The 53 patients

[Cited by 2](#) [Related articles](#)

[Magnesium supplementation during liver transplantation](#)

[OA Bamgbade](#), [AR Tait](#), [S Kheterpal](#), [OO Nafiu](#), [P Dorje...](#) - Internet J Surg, 2008

[Cited by 3](#) [Related articles](#)

[Anaesthesia for paediatric surgical emergencies in Ibadan](#)

[OA Bamgbade](#), [OA Soyannwo](#), [AA Sanusi](#) - Afr J of Anaesth and Intensive Care, 1997

[Cited by 2](#) [Related articles](#)

[Lightwand intubation for difficult airway patients](#)

[OA Bamgbade](#) - Internet J Anesthesiol, 2006

[Cited by 2](#) [Related articles](#)